



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES
OF THE UNITED STATES—UNTABULATED.

CALIFORNIA—*Stockton*.—Month of February, 1908. Estimated population, 23,000. Total number of deaths 20, including 2 from diphtheria. Five cases of diphtheria reported.

FLORIDA.—Reports from the State board of health for the week ended March 21, 1908, show as follows: Diphtheria—*St. Augustine*, 1 case. Enteric fever—*Tampa*, 4 cases; *Dade City*, *Fort White*, and *St. Petersburg*, each 1 case. Smallpox—*Tampa*, 1 case. Tuberculosis—*Bartow*, *Daytona*, *Sanford*, and *Tampa*, each 1 case; *Jacksonville*, 2 cases.

IOWA.—Reports to the State board of health for the month of October, 1907, show as follows: Total number of deaths, 1,636, including diphtheria 17, enteric fever 35, measles 1, scarlet fever 7, whooping cough 4, and 108 from tuberculosis.

Month of November, 1907. Total number of deaths 1,522, including diphtheria 24, enteric fever 25, measles 2, scarlet fever 7, whooping cough 5, and 109 from tuberculosis.

Month of December, 1907. Total number of deaths, 1,977, including diphtheria 26, enteric fever 19, measles 1, scarlet fever 4, whooping cough 4, and 117 from tuberculosis.

Month of January, 1908. Total number of deaths 2,216, including diphtheria 30, enteric fever 26, measles 5, scarlet fever 8, whooping cough 8, and 147 from tuberculosis.

NEW JERSEY—*Montclair*.—Year ended December 31, 1907. Estimated population 17,333. Total number of deaths 230, including enteric fever 1, measles 1, scarlet fever 1, whooping cough 5, and 26 from tuberculosis. Cases: Diphtheria 24, enteric fever 20, measles 59, scarlet fever 30, whooping cough 24, and tuberculosis 35.

OHIO—*Canton*.—Month of February, 1908. Estimated population, 40,000. Total number of deaths not reported. Three deaths from tuberculosis. Cases: Diphtheria 5, scarlet fever 5, and tuberculosis 3.

PENNSYLVANIA—*Erie*.—Year ended December 31, 1907. Estimated population, 62,000. Total number of deaths, 976, including diphtheria 23, enteric fever 49, measles 10, whooping cough 2, and 82 from tuberculosis. Cases: Diphtheria 132, enteric fever 316, measles 572, scarlet fever 225, smallpox 4, whooping cough 22, and tuberculosis 84.

RHODE ISLAND.—Month of November, 1907. Total number of deaths reported to the State board of health, 630, including 82 from tuberculosis. Cases of contagious diseases reported as follows: October 1907. Diphtheria 90, enteric fever 30, measles 26, and scarlet fever 38. November, 1907. Diphtheria 100, enteric fever 27, measles 49, and scarlet fever 59. December, 1907. Diphtheria 55, enteric fever 9, measles 106, and scarlet fever 59.

TEXAS—*Fort Worth*.—Month of February, 1908. Estimated population, 70,000. Total number of deaths, 80, including 1 from smallpox. Cases: Diphtheria 1, measles 26, scarlet fever 1, and smallpox 61.

VIRGINIA.—Reports to the State board of health for the month of February, 1908, show as follows:

Diphtheria present in 21 counties; enteric fever in 32 counties; measles in 47 counties; scarlet fever in 15 counties; whooping cough in 40 counties; smallpox in 18 counties, and tuberculosis in 69 counties.

WEST VIRGINIA—*Charleston*.—Month of February, 1908. Estimated population, 25,000. Total number of deaths, 31, including 3 from tuberculosis. Cases: Diphtheria 2, enteric fever 1, measles 2, scarlet fever 1, and tuberculosis 3.

Smallpox in the United States as reported to the Surgeon-General, Public Health and Marine-Hospital Service, December 28, 1907, to April 3, 1908.

For reports received from June 28, 1907, to December 27, 1907, see PUBLIC HEALTH REPORTS for December 27, 1907.

[NOTE.—In accordance with custom, the tables of epidemic diseases are terminated semiannually and new tables begun.]

Place.	Date.	Cases.	Deaths.	Remarks.
Alabama:				
Mobile County	Jan. 1-14	9	And vicinity. Report for November received out of date. No cases in December.
Mobile	Nov. 2-Mar. 8	49	
Total for State		58	
Arizona:				
Benson	Jan. 26-Feb. 10	5	
Bisbee	Nov. 14-Jan. 19	18	
Total for State		23	
California:				
Berkeley	Dec. 15-Feb. 15	2	
Los Angeles	Dec. 15-Mar. 21	127	Case Feb. 13 from ss. Santa Barbara.
Oakland	Nov. 1-Jan. 31	77	
Sacramento	Dec. 1-Jan. 31	4	
San Diego	Dec. 1-31	1	
San Francisco	Dec. 15-Mar. 14	100	Jan. 18, 1 case in San Francisco Quarantine Station from ss. Mongolia.
San Jose	Nov. 1-Feb. 29	74	Reports for November and December received out of date.
Total for State		385	
Colorado:				
Adams County	Nov. 1-Dec. 31	12	
Bent County	Nov. 1-30	4	
Boulder County	Nov. 1-30	1	
Denver County				
Denver	Nov. 1-Dec. 31	20	
Garfield County	Dec. 1-31	52	
Grand County	Dec. 1-31	1	
Larimer County	Nov. 1-Dec. 31	8	
Lincoln County	Dec. 1-31	1	
Mesa County	Nov. 1-Dec. 31	6	
Otero County	Nov. 1-Dec. 31	47	
Prowers County	Nov. 1-Dec. 31	60	
Pueblo County	Nov. 1-Dec. 31	3	
Sedgwick County	Nov. 1-30	1	
Total for State		216	